

YUEQING ZHIWEI TOOLS CO.,LTD.(CHINA)

PRODUCT MANUALS

YENDARE®


Finland
Russia
Ireland
Holland
Switzerland
Bulgaria
Pakistan
Korea
Japan
Taiwan
Turkey
India
Vietnam
Israel
Malaysia
Nigeria
Indonesia
Australia
New Zealand
Canada
United States
Mexico
Uruguay

YENDARE® PROFESSIONAL TOOLS

COMPANY INTRODUCTION

Yueqing Zhiwei Tools Co., Ltd is located at the Special Industrial Park in Furong Town, Yueqing City, Zhejiang Province, which is well known as the base of all China drill (construction engineering) industry. Our company specializes in producing hard alloy electric hammer drills, steel chisels, air nailers, woodworking milling cutters, various models of hole openers, screwdriver bits and other series products. Our products which have found a good sale in Europe and America, Middle East, Southeast Asia, Africa and other countries and regions have been widely received and trusted by masses of customers.

Our company has a powerful technical strength with complete testing equipment and advanced management. We adhere to the management principle of high quality, making progress and high efficiency all the time. Based on high technology and high-quality talents, strengthening the enterprise management, carrying out brand operation, and pursuing excellent quality, Zhiwei is striving for gaining great achievements.

We firmly believe that based on the philosophy of “cooperation and win-win, harmonious development”, we are able to create a bright future with customers at home and abroad together.



YENDARE®
PROFESSIONAL TOOLS

CONTENTS



CARBIDE ALLOY ELECTRIC HAMMER DRILLS P01-08



CHISELS P09-12



HSS STRAIGHT SHANK TWIST DRILLS P13-19



T.C.T. CIRCULAR SAW BLADES P20-26



HOLE SAW P27-43



DOUBLE END SCREWDRIVER BITS P44-60



PACKING P61-66

YENDARE®
PROFESSIONAL TOOLS



CARBIDE ALLOY ELECTRIC HAMMER DRILLS

PROFESSIONAL TOOLS


SDS–PLUS SHANK ELECTRIC HAMMER DRILL

INSTRUCTION

Employing high quality alloy steel for driling body and YG carbide alloy for driling tip,and in combination with various types of electric hammer.The drill is one of the most efficient tools suitably and widely used for hole driling in hard materials like concrete / brick in construction & installation industries.



Matching drill	SDS–plus Hammer







Concrete	Block/brick
Wall	Stone

SDS–PLUS SHANK ELECRIC HAMMER DRILL

Part No	Diameter	Length	Part No	Diameter	Length	Part No	Diameter	Length
YD-A0101	4	110	YD-A0129	14	350	YD-A0157	22	210
YD-A0102	5	110	YD-A0130	14	460	YD-A0158	22	260
YD-A0103	5	160	YD-A0131	14	600	YD-A0159	22	350
YD-A0104	5.5	110	YD-A0132	14	800	YD-A0160	22	460
YD-A0105	5.5	160	YD-A0133	14	1000	YD-A0161	22	600
YD-A0106	6	110	YD-A0134	16	160	YD-A0162	22	800
YD-A0107	6	160	YD-A0135	16	210	YD-A0163	22	1000
YD-A0108	6	210	YD-A0136	16	260	YD-A0164	25	210
YD-A0109	6	260	YD-A0137	16	310	YD-A0165	25	260
YD-A0110	8	110	YD-A0138	16	350	YD-A0166	25	350
YD-A0111	8	160	YD-A0139	16	460	YD-A0167	25	460
YD-A0112	8	210	YD-A0140	16	600	YD-A0168	25	600
YD-A0113	8	260	YD-A0141	16	800	YD-A0169	25	800
YD-A0114	10	110	YD-A0142	16	1000	YD-A0170	25	1000
YD-A0115	10	160	YD-A0143	18	210	YD-A0171	28	600
YD-A0116	10	210	YD-A0144	18	260	YD-A0172	28	800
YD-A0117	10	260	YD-A0145	18	350	YD-A0173	28	1000
YD-A0118	10	350	YD-A0146	18	460	YD-A0174	30	600
YD-A0119	12	110	YD-A0147	18	600	YD-A0175	30	800
YD-A0120	12	160	YD-A0148	18	800	YD-A0176	30	1000
YD-A0121	12	210	YD-A0149	18	1000	YD-A0177	32	600
YD-A0122	12	260	YD-A0150	20	210	YD-A0178	32	800
YD-A0123	12	350	YD-A0151	20	260	YD-A0179	32	1000
YD-A0124	12	460	YD-A0152	20	350	YD-A0180	35	600
YD-A0125	12	600	YD-A0153	20	460	YD-A0181	35	800
YD-A0126	14	160	YD-A0154	20	600	YD-A0182	35	1000
YD-A0127	14	210	YD-A0155	20	800			
YD-A0128	14	260	YD-A0156	20	1000			

YENDARE® PROFESSIONAL TOOLS


SDS-MAX SHANK ELECTRIC HAMMER DRILL

INSTRUCTION

Special the preparation of Alloy Carbide,which could drill the harder concrete unique junk slot design,which have much more groove space,could improve chip remove and the capability of drill greatly.



Matching drill	SDS-Max Hammer Drill







Concrete	Block/brick
Wall	Stone

SDS-MAX SHANK ELECTRIC HAMMER DRILL


Part No	Diameter	Length	Part No	Diameter	Length	Part No	Diameter	Length
YD-A0201	10	280	YD-A0225	20	340	YD-A0249	28	800
YD-A0202	10	340	YD-A0226	20	400	YD-A0250	28	1000
YD-A0203	10	400	YD-A0227	20	505	YD-A0251	30	400
YD-A0204	12	280	YD-A0228	20	600	YD-A0252	30	505
YD-A0205	12	340	YD-A0229	20	800	YD-A0253	30	600
YD-A0206	12	400	YD-A0230	20	1000	YD-A0254	30	800
YD-A0207	14	280	YD-A0231	22	280	YD-A0255	30	1000
YD-A0208	14	340	YD-A0232	22	340	YD-A0256	32	505
YD-A0209	14	400	YD-A0233	22	400	YD-A0257	32	600
YD-A0210	14	505	YD-A0234	22	505	YD-A0258	32	800
YD-A0211	14	600	YD-A0235	22	600	YD-A0259	32	1000
YD-A0212	16	280	YD-A0236	22	800	YD-A0260	35	505
YD-A0213	16	340	YD-A0237	22	1000	YD-A0261	35	600
YD-A0214	16	400	YD-A0238	25	280	YD-A0262	35	800
YD-A0215	16	505	YD-A0239	25	340	YD-A0263	35	1000
YD-A0216	16	600	YD-A0240	25	400	YD-A0264	38	505
YD-A0217	18	280	YD-A0241	25	505	YD-A0265	38	600
YD-A0218	18	340	YD-A0242	25	600	YD-A0266	38	800
YD-A0219	18	400	YD-A0243	25	800	YD-A0267	38	1000
YD-A0220	18	505	YD-A0244	25	1000	YD-A0268	40	505
YD-A0221	18	600	YD-A0245	28	340	YD-A0269	40	600
YD-A0222	18	800	YD-A0246	28	400	YD-A0270	40	800
YD-A0223	18	1000	YD-A0247	28	505	YD-A0271	40	1000
YD-A0224	20	280	YD-A0248	28	600			

YENDARE® PROFESSIONAL TOOLS

MASONRY DRILL BIT

INSTRUCTION

Masonry drill bit base on the standard design to produce,which have excellent capability of drill,it is an ideal choice to drill brick wall,cemente wall and so on.





Sank shape



Slate	Block	plaster bocard
Concrete	Mortat	Brick

HAMMER TYPE TEMPERED BODY MASONRY DRILLS



Part No	Diameter	Length
YD-A0401	4	75
YD-A0402	5	85
YD-A0403	6	100
YD-A0404	7	100
YD-A0405	8	120
YD-A0406	9	120
YD-A0407	10	120
YD-A0408	10	150
YD-A0409	12	120
YD-A0410	12	150
YD-A0411	14	150
YD-A0412	14	200
YD-A0413	14	300
YD-A0414	14	400
YD-A0415	16	200
YD-A0416	16	300
YD-A0417	16	400
YD-A0418	18	200
YD-A0419	18	300
YD-A0420	18	400
YD-A0421	20	300
YD-A0422	20	400
YD-A0423	22	300
YD-A0424	22	400
YD-A0425	25	300
YD-A0426	25	400
YD-A0427	25	500

TEMPERED BODY MASONRY



Part No	Diameter	Length
YD-A0501	4	75
YD-A0502	5	85
YD-A0503	6	100
YD-A0504	7	100
YD-A0505	8	120
YD-A0506	9	120
YD-A0507	10	120
YD-A0508	10	150
YD-A0509	12	120
YD-A0510	12	150
YD-A0511	14	150
YD-A0512	14	200
YD-A0513	14	300
YD-A0514	14	400
YD-A0515	16	200
YD-A0516	16	300
YD-A0517	16	400
YD-A0518	18	200
YD-A0519	18	300
YD-A0520	18	400
YD-A0521	20	300
YD-A0522	20	400
YD-A0523	22	300
YD-A0524	22	400
YD-A0525	25	300
YD-A0526	25	400
YD-A0527	25	500

YENDARE® PROFESSIONAL TOOLS

HOLLOW ELECTRIC HAMMER DRILL

INSTRUCTION

Hollow Electric Hammer Drill is composed of a guided drill andconnecting rod,It can be fitted to various electric hammers as a boring tool for processing large holes.It is a noveltool for installation and decoration trades.The connecting rod of Hollow Electric Hammer Drill can be selected according to the front page shank structure.







HOLLOW ELECTRIC HAMMER DRILL

Part No	Diameter	Part No	Diameter	Part No	Diameter
YD-A0801	30	YD-A0808	65	YD-A0815	95
YD-A0802	35	YD-A0809	68	YD-A0816	100
YD-A0803	40	YD-A0810	70	YD-A0817	110
YD-A0804	45	YD-A0811	75	YD-A0818	120
YD-A0805	50	YD-A0812	80	YD-A0819	125
YD-A0806	55	YD-A0813	85	YD-A0820	130
YD-A0807	60	YD-A0814	90	YD-A0821	150

SDS-PLUS ADAPTOR



YD-A0901

110mm	160mm	220mm
300mm	350mm	400mm
450mm	500mm	600mm
700mm	800mm	1000mm

SDS-MAX ADAPTOR



YD-A0902

220mm	280mm	300mm
350mm	400mm	450mm
500mm	600mm	700mm
800mm	1000mm	

HEX SHANK ADAPTOR



YD-A0903

220mm	280mm	300mm
350mm	400mm	450mm
500mm	600mm	700mm
800mm	1000mm	

QUICK LOCK HOLDERS

SDS-PLUS TO SDS-MAX



YD-A01001

SDS-PLUS TO SDS-MAX




YD-A01002

SDS-PLUS TO SDS-HEX




YD-A01003

PLUS ADAPTOR



YD-A01101



YD-A01102




CHISELS

INSTRUCTION

The chisel can be used with electric hammer and it is widely applicable and high efficient chiseling hole,cutting ,chiseling groove tool for concrete and brick wall. Our products include bull point, small flat chisel,big flat chisel,gouge and groove chisel The chisel,iength can be made according to customers requirements.The shank type can be selected according to below list of shank structure.





YD-B0101



SIZE:14x250mm

YD-B0102



SIZE:17x280mm 17x350mm

YD-B0103




SIZE:18x280mm 18x350mm 18x400mm

YD-B0104



SIZE:30x410mm







YD-B0105



SIZE:14x250mm 14x350mm

YD-B0106



SIZE:14x250x20mm 14x350x20mm

YD-B0107



SIZE:17x280mm 17x350mm

YD-B0108



SIZE:17x280x22mm 17x350x22mm

YENDARE®
PROFESSIONAL TOOLS

CHISELS

YD-B0109



SIZE:14x250mm 14x280mm 14x350mm

YD-B0110



SIZE:14x250x20mm 14x280x20mm 14x350x20mm

YD-B0111



SIZE:14x250x40mm 14x250x50mm
14x350x40mm 14x350x50mm 17x280x75mm

YD-B0112



SIZE:14x250mm 14x350mm

YD-B0113



SIZE:18x280mm 18x350mm 18x400mm 18x600mm

YD-B0114



SIZE:18x280x25mm 18x350x25mm
18x400x25mm 18x600x25mm

YD-B0115



SIZE:18x300x50mm 18x400x50mm 18x600x50mm

YD-B0116



SIZE:18x280mm 18x350mm 18x400mm 18x600mm

YD-B0117



SIZE:18x280mm 18x350mm 18x400mm 18x600mm

YD-B0118



SIZE:18x280x50mm 18x350x50mm 18x400x50mm

YD-B0119



SIZE:17x280mm 17x350mm 21x320mm 21x450mm

YD-B0120



SIZE:17x280x22mm 17x350x22mm
21x320x26mm 21x450x26mm

YD-B0121



SIZE:17x280x50mm 17x450x50mm
21x320x50mm 21x450x50mm 17x280x75mm

YD-B0122



SIZE:17x280mm 17x350mm 21x320mm 21x450mm

YD-B0123



SIZE:17x280mm 17x350mm

YD-B0124



SIZE:19x400mm 19x500mm 19x600mm

YD-B0125



SIZE:19x400x25mm 19x500x25mm 19x600x25mm

YD-B0126



SIZE:21x300mm 21x450mm

YD-B0127



SIZE:21x320x26mm 21x450x26mm

YENDARE®
PROFESSIONAL TOOLS

CHISELS

YD-B0128



SIZE:19x400mm 19x500mm

YD-B0129



SIZE:19x400mm 19x500mm 22x450mm
25x500mm 28x550mm 32x550mm

YD-B0130



SIZE:17x280mm

YD-B0131



SIZE:20x330mm

YD-B0132



SIZE:18x270x22mm

YD-B0133



SIZE:30x410mm

YD-B0134



SIZE:30x410x35mm

YD-B0135



SIZE:28x400x35mm 28x500x35mm 28x600x35mm

YD-B0136



SIZE:22x400mm 22x450mm 22x500mm

YD-B0137



SIZE:23.9x350mm

YD-B0138



SIZE:26x450mm

YD-B0139




SIZE:28x450mm

YD-B0140



SIZE:28x300x80mm

YD-B0141



SIZE:28x300x125mm

THE LIST OF SHANK STRUCTURE



01



02



03



04



05



06



07



08



09



10



14



15



16



17



18



19

YENDARE®
PROFESSIONAL TOOLS



HSS STRAIGHT SHANK TWIST DRILLS


YENDARE®
PROFESSIONAL TOOLS

HSS STRAIGHT SHANK TWIST DRILL

INSTRUCTION

Also suitable for long-chipping materials

Twist drill bit made of high speed steel manufactured to DIN 338; right-hand cutting twist drill bit, type N, drill bit tip 135°, split point manufactured to DIN 1412C, chemical-thermal hardening process, diameter tolerance h 8; steel drill bit ground from solid metal; excellent surface quality due to special factory standards; outer diameter tapered towards shank to reduce friction.



135°split-point





COBALT DRILL

M35 fully groud drill



Part No	Diameter	Length
YD-C0101	1. 0	34
YD-C0102	1. 5	36
YD-C0103	2. 0	49
YD-C0104	2. 5	57
YD-C0105	3. 0	64
YD-C0106	3. 2	65
YD-C0107	3. 5	70
YD-C0108	3. 8	75
YD-C0109	4. 0	75
YD-C0110	4. 2	75
YD-C0111	4. 5	80
YD-C0112	4. 8	86
YD-C0113	5. 0	86
YD-C0114	5. 2	86
YD-C0115	5. 5	93
YD-C0116	6. 0	93
YD-C0117	6. 5	101
YD-C0118	7. 0	109
YD-C0119	7. 5	109
YD-C0120	8. 0	117
YD-C0121	8. 5	117
YD-C0122	9. 0	125
YD-C0123	9. 5	125
YD-C0124	10. 0	133
YD-C0125	10. 5	133
YD-C0126	11. 0	142
YD-C0127	11. 5	142
YD-C0128	12. 0	151
YD-C0129	12. 5	151
YD-C0130	13. 0	151

M2 DRILL



Part No	Diameter	Length
YD-C0201	1. 0	34
YD-C0202	1. 5	36
YD-C0203	2. 0	49
YD-C0204	2. 5	57
YD-C0205	3. 0	64
YD-C0206	3. 2	65
YD-C0207	3. 5	70
YD-C0208	3. 8	75
YD-C0209	4. 0	75
YD-C0210	4. 2	75
YD-C0211	4. 5	80
YD-C0212	4. 8	86
YD-C0213	5. 0	86
YD-C0214	5. 2	86
YD-C0215	5. 5	93
YD-C0216	6. 0	93
YD-C0217	6. 5	101
YD-C0218	7. 0	109
YD-C0219	7. 5	109
YD-C0220	8. 0	117
YD-C0221	8. 5	117
YD-C0222	9. 0	125
YD-C0223	9. 5	125
YD-C0224	10. 0	133
YD-C0225	10. 5	133
YD-C0226	11. 0	142
YD-C0227	11. 5	142
YD-C0228	12. 0	151
YD-C0229	12. 5	151
YD-C0230	13. 0	151

YENDARE®
PROFESSIONAL TOOLS

HSS STRAIGHT SHANK TWIST DRILL

FULLY GROUND DRILL



Part No.	Diameter
YD-C0301	1. 0
YD-C0302	1. 5
YD-C0303	2. 0
YD-C0304	2. 5
YD-C0305	3. 0
YD-C0306	3. 2
YD-C0307	3. 5
YD-C0308	3. 8
YD-C0309	4. 0
YD-C0310	4. 2
YD-C0311	4. 5
YD-C0312	4. 8
YD-C0313	5. 0
YD-C0314	5. 2
YD-C0315	5. 5
YD-C0316	6. 0
YD-C0317	6. 5
YD-C0318	7. 0
YD-C0319	7. 5
YD-C0320	8. 0
YD-C0321	8. 5
YD-C0322	9. 0
YD-C0323	9. 5
YD-C0324	10. 0
YD-C0325	10. 5
YD-C0326	11. 0
YD-C0327	11. 5
YD-C0328	12. 0
YD-C0329	12. 5
YD-C0330	13. 0

TIRANIUM GROUND DRILL



Part No.	Diameter
YD-C0401	1. 0
YD-C0402	1. 5
YD-C0403	2. 0
YD-C0404	2. 5
YD-C0405	3. 0
YD-C0406	3. 2
YD-C0407	3. 5
YD-C0408	3. 8
YD-C0409	4. 0
YD-C0410	4. 2
YD-C0411	4. 5
YD-C0412	4. 8
YD-C0413	5. 0
YD-C0414	5. 2
YD-C0415	5. 5
YD-C0416	6. 0
YD-C0417	6. 5
YD-C0418	7. 0
YD-C0419	7. 5
YD-C0420	8. 0
YD-C0421	8. 5
YD-C0422	9. 0
YD-C0423	9. 5
YD-C0424	10. 0
YD-C0425	10. 5
YD-C0426	11. 0
YD-C0427	11. 5
YD-C0428	12. 0
YD-C0429	12. 5
YD-C0430	13. 0

BLACK DRILL



Part No.	Diameter
YD-C0501	1. 0
YD-C0502	1. 5
YD-C0503	2. 0
YD-C0504	2. 5
YD-C0505	3. 0
YD-C0506	3. 2
YD-C0507	3. 5
YD-C0508	3. 8
YD-C0509	4. 0
YD-C0510	4. 2
YD-C0511	4. 5
YD-C0512	4. 8
YD-C0513	5. 0
YD-C0514	5. 2
YD-C0515	5. 5
YD-C0516	6. 0
YD-C0517	6. 5
YD-C0518	7. 0
YD-C0519	7. 5
YD-C0520	8. 0
YD-C0521	8. 5
YD-C0522	9. 0
YD-C0523	9. 5
YD-C0524	10. 0
YD-C0525	10. 5
YD-C0526	11. 0
YD-C0527	11. 5
YD-C0528	12. 0
YD-C0529	12. 5
YD-C0530	13. 0

BLACK&WHITE DRILL



Part No.	Diameter
YD-C0601	1. 0
YD-C0602	1. 5
YD-C0603	2. 0
YD-C0604	2. 5
YD-C0605	3. 0
YD-C0606	3. 2
YD-C0607	3. 5
YD-C0608	3. 8
YD-C0609	4. 0
YD-C0610	4. 2
YD-C0611	4. 5
YD-C0612	4. 8
YD-C0613	5. 0
YD-C0614	5. 2
YD-C0615	5. 5

BLACK&WHITE DRILL




Part No.	Diameter
YD-C0616	6. 0
YD-C0617	6. 5
YD-C0618	7. 0
YD-C0619	7. 5
YD-C0620	8. 0
YD-C0621	8. 5
YD-C0622	9. 0
YD-C0623	9. 5
YD-C0624	10. 0
YD-C0625	10. 5
YD-C0626	11. 0
YD-C0627	11. 5
YD-C0628	12. 0
YD-C0629	12. 5
YD-C0630	13. 0

YENDARE®
PROFESSIONAL TOOLS

HSS STRAIGHT SHANK TWIST DRILL

½ SHANK TWIST DRILLS DIN338





Fully Ground Drill



Tiranium Ground Drill



Black Drill

Part No.	Inch	Diameter
YD-C0701	31/64	12.5mm
YD-C0702	33/64	13.0mm
YD-C0703	17/32	13.5mm
YD-C0704	9/16	14.0mm
YD-C0705	37/64	14.5mm
YD-C0706	19/32	15.0mm
YD-C0707	39/64	15.5mm
YD-C0708	5/8	16.0mm
YD-C0709	21/32	16.5mm
YD-C0710	43/64	17.0mm
YD-C0711	11/16	17.5mm
YD-C0712	23/32	18.0mm
YD-C0713	47/64	18.5mm
YD-C0714	3/4	19.0mm
YD-C0715	49/64	19.5mm
YD-C0716	25/32	20.0mm
YD-C0717	13/16	20.5mm
YD-C0718	53/64	21.0mm

Part No.	Inch	Diameter
YD-C0719	27/32	21.5mm
YD-C0720	7/8	22.0mm
YD-C0721	57/64	22.5mm
YD-C0722	29/32	23.0mm
YD-C0723	59/64	23.5mm
YD-C0724	61/64	24.0mm
YD-C0725	31/32	24.5mm
YD-C0726	63/64	25.0mm
YD-C0727	1"	25.5mm
YD-C0728	1-1/32	26.0mm
YD-C0729	/	26.5mm
YD-C0730	1-1/16	27.0mm
YD-C0731	1-3/32	27.5mm
YD-C0732	/	28.0mm
YD-C0733	1-1/8	28.5mm
YD-C0734	/	29.0mm
YD-C0735	1-5/32	29.5mm
YD-C0736	1-3/16	30.0mm

DOUBLE COBALT DRILL



Part No.	Diameter
YD-C0801	3.0
YD-C0802	3.2
YD-C0803	3.5
YD-C0804	4.0
YD-C0805	4.2
YD-C0806	4.5
YD-C0807	5.0
YD-C0808	5.2
YD-C0809	5.5
YD-C0810	6.0

YENDARE®
PROFESSIONAL TOOLS

STEP DRILL

INSTRUCTION

*For drilling cylindrical holes in solid material up to a thickness of 4mm.
*Idea tool for sheet metal workers , electrical contractor,auto mechanics, and general co- ntractors.
* Burr-free and vibration-free drilling
* The tapered cutting edges of the next drill step can be used for simultaneous deburring or chamfering of the finished bore at the same time,
*Drilling perfectly round holes in steel,brass, copper,alumium,wood and plastic,etals.





HSS ROUND STEP DRILL BIT

Part No	Diameter
YD-C1001	4-12mm
YD-C1002	4-20mm
YD-C1003	4-22mm
YD-C1004	4-25mm
YD-C1005	4-32mm
YD-C1006	4-40mm

COBAL ROUND STEP DRILL BIT

Part No	Diameter
YD-C1201	4-12mm
YD-C1202	4-20mm
YD-C1203	4-22mm
YD-C1204	4-25mm
YD-C1205	4-32mm
YD-C1206	4-40mm





HSS ROUND STEP DRILL BIT

Part No	Diameter
YD-C1101	4-12mm
YD-C1102	4-20mm
YD-C1103	4-22mm
YD-C1104	4-25mm
YD-C1105	4-32mm
YD-C1106	4-40mm

COBAL ROUND STEP DRILL BIT

Part No	Diameter
YD-C1301	4-12mm
YD-C1302	4-20mm
YD-C1303	4-22mm
YD-C1304	4-25mm
YD-C1305	4-32mm
YD-C1306	4-40mm

HSS 3PCS STEP DRILL BIT



Part No	Diameter
YD-C1401	4-12mm
	4-20mm
	4-32mm

COBAL 3PCS STEP DRILL BIT



Part No	Diameter
YD-C1501	4-12mm
	4-20mm
	4-32mm


YENDARE®
PROFESSIONAL TOOLS

WOOD AUGER BIT

INSTRUCTION

For use in all drills with 13 mm drill chuck; straight shank at diameter of 6 mm;suitable for deep dowel holes and for predrilling rafternails Selfcentring threaded point, one main spur and one precutting spur &hawext& Lorem ipsum dolor sit amet, consectetuer adipiscing elit.







Sank shape Sank shape



WOOD AUGER BIT


Part No	Diameter	Length
YD-D0101	6	150
YD-D0102	6	230
YD-D0103	6	400
YD-D0104	8	150
YD-D0105	8	230
YD-D0106	8	400
YD-D0107	10	150
YD-D0108	10	230
YD-D0109	10	400
YD-D0110	10	460
YD-D0111	10	600
YD-D0112	12	150
YD-D0113	12	230
YD-D0114	12	400
YD-D0115	12	460
YD-D0116	12	600
YD-D0117	14	150
YD-D0118	14	230
YD-D0119	14	400
YD-D0120	14	460
YD-D0121	14	600
YD-D0122	14	800
YD-D0123	14	1000
YD-D0124	16	230
YD-D0125	16	400
YD-D0126	16	460
YD-D0127	16	600
YD-D0128	16	800
YD-D0129	16	1000
YD-D0130	18	230

Part No	Diameter	Length
YD-D0131	18	400
YD-D0132	18	460
YD-D0133	18	600
YD-D0134	18	800
YD-D0135	18	1000
YD-D0136	20	230
YD-D0137	20	400
YD-D0138	20	460
YD-D0139	20	600
YD-D0140	20	800
YD-D0141	20	1000
YD-D0142	22	230
YD-D0143	22	400
YD-D0144	22	460
YD-D0145	22	600
YD-D0146	22	800
YD-D0147	22	1000
YD-D0148	25	230
YD-D0149	25	400
YD-D0150	25	460
YD-D0151	25	600
YD-D0152	25	800
YD-D0153	25	1000
YD-D0154	28	230
YD-D0155	28	400
YD-D0156	28	460
YD-D0157	28	600
YD-D0158	28	800
YD-D0159	28	1000
YD-D0160	30	230

Part No	Diameter	Length
YD-D0161	30	400
YD-D0162	30	460
YD-D0163	30	600
YD-D0164	30	800
YD-D0165	30	1000
YD-D0166	32	230
YD-D0167	32	400
YD-D0168	32	460
YD-D0169	32	600
YD-D0170	32	800
YD-D0171	32	1000
YD-D0172	35	230
YD-D0173	35	400
YD-D0174	35	460
YD-D0175	35	600
YD-D0176	35	800
YD-D0177	35	1000
YD-D0178	38	230
YD-D0179	38	400
YD-D0180	38	460
YD-D0181	38	600
YD-D0182	38	800
YD-D0183	38	1000
YD-D0184	40	230
YD-D0185	40	400
YD-D0186	40	460
YD-D0187	40	600
YD-D0188	40	800
YD-D0189	40	1000

YENDARE®

PROFESSIONAL TOOLS




T. C. T.
CIRCULAR SAW BLADES


YENDARE®
PROFESSIONAL TOOLS


T.C.T. CIRCULAR SAW BLADE

INSTRUCTION

Ripping and cross-cutting of Panels,Plastic Laminated and Veneered on both sides.MDF panels,blockboard,soft fibreh board,presswood panels , cement bonded particleboard,solid wood and so on.











Part No	Inch	Diameter	Teeth
YD-E0101	4. 5″	115	30T
YD-E0102	4. 5″	115	40T
YD-E0103	6″	150	40T
YD-E0104	6″	150	60T
YD-E0105	7″	180	40T
YD-E0106	7″	180	52T
YD-E0107	7″	180	60T
YD-E0108	8″	200	40T
YD-E0109	8″	200	52T
YD-E0110	8″	200	60T
YD-E0111	8″	200	80T
YD-E0112	9″	230	40T
YD-E0113	9″	230	48T
YD-E0114	9″	230	60T
YD-E0115	9″	230	80T
YD-E0116	9″	230	100T
YD-E0117	10″	250	40T
YD-E0118	10″	250	48T
YD-E0119	10″	250	52T
YD-E0120	10″	250	60T
YD-E0121	10″	250	80T
YD-E0122	10″	250	100T
YD-E0123	10″	250	120T
YD-E0124	12″	300	40T
YD-E0125	12″	300	48T
YD-E0126	12″	300	60T
YD-E0127	12″	300	72T
YD-E0128	12″	300	80T
YD-E0129	12″	300	96T
YD-E0130	12″	300	100T

Part No	Inch	Diameter	Teeth
YD-E0131	12″	300	120T
YD-E0132	14″	350	40T
YD-E0133	14″	350	60T
YD-E0134	14″	350	72T
YD-E0135	14″	350	80T
YD-E0136	14″	350	96T
YD-E0137	14″	350	100T
YD-E0138	14″	350	120T
YD-E0139	16″	400	40T
YD-E0140	16″	400	60T
YD-E0141	16″	400	72T
YD-E0142	16″	400	80T
YD-E0143	16″	400	96T
YD-E0144	16″	400	100T
YD-E0145	16″	400	120T
YD-E0146	18″	450	40T
YD-E0147	18″	450	60T
YD-E0148	18″	450	72T
YD-E0149	18″	450	80T
YD-E0150	18″	450	96T
YD-E0151	18″	450	100T
YD-E0152	18″	450	120T
YD-E0153	20″	500	40T
YD-E0154	20″	500	60T
YD-E0155	20″	500	72T
YD-E0156	20″	500	80T
YD-E0157	20″	500	96T
YD-E0158	20″	500	100T
YD-E0159	20″	500	120T

YENDARE®
PROFESSIONAL TOOLS

DIAMOND CUTTING DISC

INSTRUCTION

Ideal for fast cutting in alternating use: concrete, reinforced concrete, masonry, granite, brick, metal. High, long-life diamond cuttingsegments with Speed Slots, laser-welded.



DRY CUTTING BLADES



Part No	Diameter	LD
YD-E0201	105	16/20/22.2
YD-E0202	110	16/20/22.2
YD-E0203	115	20/22.2
YD-E0204	125	20/22.2
YD-E0205	150	20/22.2
YD-E0206	180	22.2/25.4/30
YD-E0207	200	22.2/25.4/30
YD-E0208	230	22.2/25.4/30/50

WET CUTTING BLADES



Part No	Diameter	LD
YD-E0301	105	16/20/22.2
YD-E0302	110	16/20/22.2
YD-E0303	115	20/22.2
YD-E0304	125	20/22.2
YD-E0305	150	20/22.2
YD-E0306	180	22.2/25.4/30
YD-E0307	200	22.2/25.4/30
YD-E0308	230	22.2/25.4/30/50

TURBO RIM CUTTING BLADES



Part No	Diameter	LD
YD-E0401	105	16/20/22.2
YD-E0402	110	16/20/22.2
YD-E0403	115	20/22.2
YD-E0404	125	20/22.2
YD-E0405	150	20/22.2
YD-E0406	180	22.2/25.4/30
YD-E0407	200	22.2/25.4/30
YD-E0408	230	22.2/25.4/30/50

CERAMIC CUTTING BLADES



Part No	Diameter	LD
YD-E0410	105	16/20/22.2
YD-E0411	110	16/20/22.2
YD-E0412	115	20/22.2
YD-E0413	125	20/22.2
YD-E0414	150	20/22.2
YD-E0415	180	22.2/25.4/30
YD-E0416	200	22.2/25.4/30
YD-E0417	230	22.2/25.4/30/50

YENDARE®
PROFESSIONAL TOOLS

DIAMOND CUTTING DISC

DRY CUTTING BLADES



Part No	Diameter	LD
YD-E0501	105	16/20/22.2
YD-E0502	110	16/20/22.2
YD-E0503	115	20/22.2
YD-E0504	125	20/22.2
YD-E0505	150	20/22.2
YD-E0506	180	22.2/25.4/30
YD-E0507	200	22.2/25.4/30
YD-E0508	230	22.2/25.4/30/50

WET CUTTING BLADES



Part No	Diameter	LD
YD-E0601	105	16/20/22.2
YD-E0602	110	16/20/22.2
YD-E0603	115	20/22.2
YD-E0604	125	20/22.2
YD-E0605	150	20/22.2
YD-E0606	180	22.2/25.4/30
YD-E0607	200	22.2/25.4/30
YD-E0608	230	22.2/25.4/30/50

TURBO RIM CUTTING BLADES



Part No	Diameter	LD
YD-E0701	105	16/20/22.2
YD-E0702	110	16/20/22.2
YD-E0703	115	20/22.2
YD-E0704	125	20/22.2
YD-E0705	150	20/22.2
YD-E0706	180	22.2/25.4/30
YD-E0707	200	22.2/25.4/30
YD-E0708	230	22.2/25.4/30/50

CERAMIC CUTTING BLADES



Part No	Diameter	LD
YD-E0801	105	16/20/22.2
YD-E0802	110	16/20/22.2
YD-E0803	115	20/22.2
YD-E0804	125	20/22.2
YD-E0805	150	20/22.2
YD-E0806	180	22.2/25.4/30
YD-E0807	200	22.2/25.4/30
YD-E0808	230	22.2/25.4/30/50

CERAMIC CUTTING BLADES



Part No	Diameter	LD
YD-E0810	105	16/20/22.2
YD-E0811	110	16/20/22.2
YD-E0812	115	20/22.2
YD-E0813	125	20/22.2
YD-E0814	150	20/22.2
YD-E0815	180	22.2/25.4/30
YD-E0816	200	22.2/25.4/30
YD-E0817	230	22.2/25.4/30/50

YENDARE®
PROFESSIONAL TOOLS

DIAMOND CUTTING DISC

CONCRETE CUTTING BLADES



Part No	Diameter	LD
YD-E0901	230	25.4/30/50
YD-E0902	250	25.4/30/50
YD-E0903	300	25.4/30/50
YD-E0904	350	25.4/30/50
YD-E0905	400	25.4/30/50
YD-E0906	500	25.4/30/50

DIAMOND CUP WHEEL



Part No	Diameter	LD
YD-E1101	100	16/20
YD-E1102	115	16/20
YD-E1103	125	20/22. 2
YD-E1104	150	20/22. 2
YD-E1105	180	20/22. 2
YD-E1106	230	20/22. 2


DIAMOND CUP WHEEL



Part No	Diameter	LD
YD-E1201	100	16/20
YD-E1202	115	16/20
YD-E1203	125	20/22. 2
YD-E1204	150	20/22. 2
YD-E1205	180	20/22. 2
YD-E1206	230	20/22. 2

YENDARE®

PROFESSIONAL TOOLS



HOLE SAW

YENDARE®
PROFESSIONAL TOOLS

T.C.T HOLE SAW

INSTRUCTION

1.Stainless steel conversions,doors & windows,stair rails,Railings, Screen doors,locks.
2.Manufacture of aluminum doors & windows.
3.Plumbing works,building A/C works.
4.Opening in machines,electrical control boxes.
5.Pigboat,ship make,F.R.P.manufacture.






Pai Cho Kong
14–120mm=1



Shank shape



SPECIAL FEATURES

For tough drilling on 5mm thick stainless steel. sheet. Low wear-off.

MAIN APPLICATIONS

For drill operation on stainless steel sheet or square wares,cast irons.Iron plates and F.R.P. Formed products.

APPLICABLE MACHINERY

1.Electrical drills.
2.Driling presses.
3.Magnetic drill presses.

Part No	Diameter
YD -F0101	14mm
YD -F0102	15mm
YD -F0103	16mm
YD -F0104	17mm
YD -F0105	18mm
YD -F0106	18.5mm
YD -F0107	19mm
YD -F0108	19.5mm
YD -F0109	20mm
YD -F0110	20.5mm
YD -F0111	21mm
YD -F0112	22mm
YD -F0113	22.5mm
YD -F0114	23mm
YD -F0115	24mm
YD -F0116	25mm
YD -F0117	25.5mm
YD -F0118	26mm
YD -F0119	27mm
YD -F0120	28mm
YD -F0121	30mm
YD -F0122	32mm
YD -F0123	35mm
YD -F0124	38mm
YD -F0125	40mm

Part No	Diameter
YD -F0126	42mm
YD -F0127	45mm
YD -F0128	48mm
YD -F0129	50mm
YD -F0130	51mm
YD -F0131	53mm
YD -F0132	55mm
YD -F0133	58mm
YD -F0134	60mm
YD -F0135	63mm
YD -F0136	65mm
YD -F0137	70mm
YD -F0138	75mm
YD -F0139	80mm
YD -F0140	85mm
YD -F0141	90mm
YD -F0142	95mm
YD -F0143	100mm
YD -F0144	110mm
YD -F0145	120mm
YD -F0146	125mm
YD -F0147	127mm
YD -F0148	130mm
YD -F0149	140mm
YD -F0150	150mm



Part No: YD -F0151

Part No	Set dia(mm)
6PCS	22 / 30 / 35 / 45 / 51 / 65
10PCS	16 / 18 / 20 / 22 / 25 / 30 / 35 / 45 / 50 / 53

YENDARE®
PROFESSIONAL TOOLS

ANNULAR CUTTER

INSTRUCTION

*Core drills with TCT-cutters.
* Weldon shank.
*Suitable for steel (T-girder,large-size sheets), stainless steel and non-ferrous metals.



TCT Annular cutter (19mm (3/4")Weldon shank

削平柄

Part No	Diameter	Cutting depth
YD-F2301	12mm	35
YD-F2302	13mm	35
YD-F2303	14mm	35
YD-F2304	15mm	35
YD-F2305	16mm	35
YD-F2306	17mm	35
YD-F2307	18mm	35
YD-F2308	19mm	35
YD-F2309	20mm	35
YD-F2310	21mm	35
YD-F2311	22mm	35
YD-F2312	23mm	35
YD-F2313	24mm	35
YD-F2314	25mm	35
YD-F2315	26mm	35
YD-F2316	27mm	35
YD-F2317	28mm	35
YD-F2318	29mm	35
YD-F2319	30mm	35
YD-F2320	32mm	35
YD-F2321	35mm	35
YD-F2322	36mm	35
YD-F2323	38mm	35
YD-F2324	40mm	35
YD-F2325	42mm	35
YD-F2326	45mm	35
YD-F2327	48mm	35
YD-F2328	50mm	35
YD-F2329	53mm	35
YD-F2330	55mm	35
YD-F2331	60mm	35
YD-F2332	65mm	35
YD-F2333	70mm	35
YD-F2334	75mm	35
YD-F2335	80mm	35
YD-F2336	85mm	35
YD-F2337	90mm	35
YD-F2338	95mm	35
YD-F2339	100mm	35

Part No	Diameter	Cutting depth
YD-F2401	12mm	50
YD-F2402	13mm	50
YD-F2403	14mm	50
YD-F2404	15mm	50
YD-F2405	16mm	50
YD-F2406	17mm	50
YD-F2407	18mm	50
YD-F2408	19mm	50
YD-F2409	20mm	50
YD-F2410	21mm	50
YD-F2411	22mm	50
YD-F2412	23mm	50
YD-F2413	24mm	50
YD-F2414	25mm	50
YD-F2415	26mm	50
YD-F2416	27mm	50
YD-F2417	28mm	50
YD-F2418	29mm	50
YD-F2419	30mm	50
YD-F2420	32mm	50
YD-F2421	35mm	50
YD-F2422	36mm	50
YD-F2423	38mm	50
YD-F2424	40mm	50
YD-F2425	42mm	50
YD-F2426	45mm	50
YD-F2427	48mm	50
YD-F2428	50mm	50
YD-F2429	53mm	50
YD-F2430	55mm	50
YD-F2431	60mm	50
YD-F2432	65mm	50
YD-F2433	70mm	50
YD-F2434	75mm	50
YD-F2435	80mm	50
YD-F2436	85mm	50
YD-F2437	90mm	50
YD-F2438	95mm	50
YD-F2439	100mm	50

YENDARE®
PROFESSIONAL TOOLS

ANNULAR CUTTER

INSTRUCTION

*Core drills with TCT-cutters.
* Weldon shank.
*Suitable for steel (T-girder,large-size sheets), stainless steel and non-ferrous metals.



TCT Annular cutter (one–touch shank)

日东柄

Part No	Diameter	Cutting depth
YD-F2501	12mm	35
YD-F2502	13mm	35
YD-F2503	14mm	35
YD-F2504	15mm	35
YD-F2505	16mm	35
YD-F2506	17mm	35
YD-F2507	18mm	35
YD-F2508	19mm	35
YD-F2509	20mm	35
YD-F2510	21mm	35
YD-F2511	22mm	35
YD-F2512	23mm	35
YD-F2513	24mm	35
YD-F2514	25mm	35
YD-F2515	26mm	35
YD-F2516	27mm	35
YD-F2517	28mm	35
YD-F2518	29mm	35
YD-F2519	30mm	35
YD-F2520	32mm	35
YD-F2521	35mm	35
YD-F2522	36mm	35
YD-F2523	38mm	35
YD-F2524	40mm	35
YD-F2525	42mm	35
YD-F2526	45mm	35
YD-F2527	48mm	35
YD-F2528	50mm	35
YD-F2529	53mm	35
YD-F2530	55mm	35
YD-F2531	60mm	35
YD-F2532	65mm	35
YD-F2533	70mm	35
YD-F2534	75mm	35
YD-F2535	80mm	35
YD-F2536	85mm	35
YD-F2537	90mm	35
YD-F2538	95mm	35
YD-F2539	100mm	35

Part No	Diameter	Cutting depth
YD-F2601	12mm	50
YD-F2602	13mm	50
YD-F2603	14mm	50
YD-F2604	15mm	50
YD-F2605	16mm	50
YD-F2606	17mm	50
YD-F2607	18mm	50
YD-F2608	19mm	50
YD-F2609	20mm	50
YD-F2610	21mm	50
YD-F2611	22mm	50
YD-F2612	23mm	50
YD-F2613	24mm	50
YD-F2614	25mm	50
YD-F2615	26mm	50
YD-F2616	27mm	50
YD-F2617	28mm	50
YD-F2618	29mm	50
YD-F2619	30mm	50
YD-F2620	32mm	50
YD-F2621	35mm	50
YD-F2622	36mm	50
YD-F2623	38mm	50
YD-F2624	40mm	50
YD-F2625	42mm	50
YD-F2626	45mm	50
YD-F2627	48mm	50
YD-F2628	50mm	50
YD-F2629	53mm	50
YD-F2630	55mm	50
YD-F2631	60mm	50
YD-F2632	65mm	50
YD-F2633	70mm	50
YD-F2634	75mm	50
YD-F2635	80mm	50
YD-F2636	85mm	50
YD-F2637	90mm	50
YD-F2638	95mm	50
YD-F2639	100mm	50

YENDARE®
PROFESSIONAL TOOLS

H.S.S HOLE SAW

INSTRUCTION

For tough drilling on 1.6mm thick iron plates.




USES

(A)Electric work:
1、Electric control box's push-button hole.
2、Refrigeration machines.
(B)Iron work:
1、Sheet metal work.
2、Drill hole installation.

SPECLAL FEATURES

(A) Sharper teeth tip for easier cutting.
(B) Longer product life,teeth stay sharplonger.
© Better chip clearance.
(D) For precision hole drilling.



MATERIAL:HSS6542



MATERIAL:M35COBALT5%

Part No	Diameter
YD-F0201	14mm
YD-F0202	15mm
YD-F0203	16mm
YD-F0204	17mm
YD-F0205	18mm
YD-F0206	18.5mm
YD-F0207	19mm
YD-F0208	19.5mm
YD-F0209	20mm
YD-F0210	20.5mm
YD-F0211	21mm
YD-F0212	22mm
YD-F0213	22.5mm
YD-F0214	23mm
YD-F0215	24mm
YD-F0216	25mm
YD-F0217	25.5mm
YD-F0218	26mm
YD-F0219	27mm
YD-F0220	28mm
YD-F0221	30mm
YD-F0222	32mm

Part No	Diameter
YD-F0223	35mm
YD-F0224	38mm
YD-F0225	40mm
YD-F0226	42mm
YD-F0227	45mm
YD-F0228	48mm
YD-F0229	50mm
YD-F0230	51mm
YD-F0231	53mm
YD-F0232	55mm
YD-F0233	58mm
YD-F0234	60mm
YD-F0235	63mm
YD-F0236	65mm
YD-F0237	70mm
YD-F0238	75mm
YD-F0239	80mm
YD-F0240	85mm
YD-F0241	90mm
YD-F0242	95mm
YD-F0243	100mm



Part No: YD-F0244

Part No	Set dia(mm)
5PCS	16 / 20 / 25 / 30 / 32
8PCS	16 / 18 / 20 / 22 / 25 / 30 / 35 / 40
13PCS	19 / 22 / 25 / 30 / 32 / 35 / 38 / 45 / 50 / 55 / 65 / 70 / 75

YENDARE®
PROFESSIONAL TOOLS

M42 BI-METAL HOLE SAW

INSTRUCTION

It drills holes on materials such as plastic.castiron,aluminum alloy and carbon steel,within drilling hole depth 28 mm,mostly.used in pipe. It is widely used in industries such as electric switch cabinets,decorathing security doors,ship building,environmental protection equipment,mechanical engineering,boiler manufacturing, fire annihilator pipe installation,oil feed pipe,etc.





Part No	Inch	Diameter
YD-F0301	9/16″	14mm
YD-F0302	5/8″	16mm
YD-F0303	11/16″	17mm
YD-F0304	3/4″	19mm
YD-F0305	25/32″	20mm
YD-F0306	13/16″	21mm
YD-F0307	7/8″	22mm
YD-F0308	15/16″	24mm
YD-F0309	1″	25mm
YD-F0310	1-1/16″	27mm
YD-F0311	1-1/8″	29mm
YD-F0312	1-3/16″	30mm
YD-F0313	1-1/4″	32mm
YD-F0314	1-5/16″	33mm
YD-F0315	1-3/8″	35mm
YD-F0316	1-7/16″	37mm
YD-F0317	1-1/2″	38mm
YD-F0318	1-9/16″	40mm
YD-F0319	1-5/8″	41mm
YD-F0320	1-11/16″	43mm
YD-F0321	1-3/4″	44mm
YD-F0322	1-13/16″	46mm
YD-F0323	1-7/8″	48mm
YD-F0324	2″	51mm
YD-F0325	2-1/16″	52mm
YD-F0326	2-1/8″	54mm
YD-F0327	2-1/4″	57mm
YD-F0328	2-5/16″	59mm
YD-F0329	2-3/8″	60mm
YD-F0330	2-1/2″	64mm

Part No	Inch	Diameter
YD-F0331	2-9/16″	65mm
YD-F0332	2-5/8″	67mm
YD-F0333	2-11/16″	68mm
YD-F0334	2-3/4″	70mm
YD-F0335	2-7/8″	73mm
YD-F0336	3″	76mm
YD-F0337	3-1/8″	79mm
YD-F0338	3-1/4″	83mm
YD-F0339	3-3/8″	86mm
YD-F0340	3-1/2″	89mm
YD-F0341	3-5/8″	92mm
YD-F0342	3-3/4″	95mm
YD-F0343	3-7/8″	98mm
YD-F0344	4″	102mm
YD-F0345	4-1/8″	105mm
YD-F0346	4-1/4″	108mm
YD-F0347	4-3/8″	111mm
YD-F0348	4-1/2″	114mm
YD-F0349	4-3/4″	121mm
YD-F0350	5″	127mm
YD-F0351	5-1/4″	133mm
YD-F0352	5-1/2″	140mm
YD-F0353	5-3/4″	146mm
YD-F0354	5-29/32″	150mm
YD-F0355	6″	152mm
YD-F0356	6-19/64″	160mm
YD-F0357	6-1/2″	165mm
YD-F0358	6-5/8″	168mm
YD-F0359	6-45/64″	170mm
YD-F0360	6-29/32″	175mm
YD-F0361	6-31/32″	177mm
YD-F0362	7-5/64″	180mm
YD-F0363	7-15/32″	190mm
YD-F0364	7-7/8″	200mm
YD-F0365	8-17/64″	210mm
YD-F0366	8-5/8″	220mm

YENDARE®
PROFESSIONAL TOOLS

T.C.T WOOD HOLE SAW

INSTRUCTION

The blades are made of superhard thickened alloy which can be sharper and more durable;

Curvature curve of the head with the body design is conducive to BTA,perforation more efficient.





Part No	Diameter
YD -F0401	15mm
YD -F0402	16mm
YD -F0403	17mm
YD -F0404	18mm
YD -F0405	19mm
YD -F0406	20mm
YD -F0407	21mm
YD -F0408	22mm
YD -F0409	23mm
YD -F0410	24mm
YD -F0411	25mm
YD -F0412	26mm
YD -F0413	28mm
YD -F0414	30mm
YD -F0415	32mm
YD -F0416	35mm
YD -F0417	38mm

Part No	Diameter
YD -F0418	40mm
YD -F0419	42mm
YD -F0420	45mm
YD -F0421	48mm
YD -F0422	50mm
YD -F0423	53mm
YD -F0424	55mm
YD -F0425	60mm
YD -F0426	65mm
YD -F0427	70mm
YD -F0428	75mm
YD -F0429	80mm
YD -F0430	85mm
YD -F0431	90mm
YD -F0432	95mm
YD -F0433	100mm

T.C.T WOOD HOLE SAW

For Hinges



Part No	Diameter
YD -F0501	35mm

T.C.T WOOD HOLE SAW

For Hinges



Part No	Diameter
YD-F0502	35mm



T.C.T COUNTERSINK BIT

Part No	Diameter
YD -F0601	3. 0x8mm
YD -F0602	3. 5x10mm
YD -F0603	4. 0x10mm

HOLE SAW


ARBORS FOR BI-METAL HOLE SAW




Part No	Shank Size	Thread Size	Chunk Size	Fits Size
YD-F0701	1/4 Round	1/2--20 UNF	1/4	9/16--1-3/16



Part No	Shank Size	Thread Size	Chunk Size	Fits Size
YD-F0702	10mm SDS	1/2--20 UNF	10mm	9/16--1-3/16



Part No	Shank Size	Thread Size	Chunk Size	Fits Size
YD-F0703	3/8,1/2 Hex	5/8--18 UNF	3/8,1/2	1-1/4--8-17/64



Part No	Shank Size	Thread Size	Chunk Size	Fits Size
YD-F0704	10mm SDS	5/8--18 UNF	10mm	1-1/4--8-17/64

INSTRUCTION

This auger is designed for fast wood boring works.It can be used in most power tools at high speed .If you want to get a hole quickly, please choose it.





1.Self - feeding screw point for a quick start of drilling
2.Four sharp cutting edges make boring more easily ang quickly .
3.Four flute configuration for waste remove , also clean hole profile.
4.1 /4" quick change HEX SHANK,Used in most power tools or an EXTENSIONS.

USE ATTENTION:

10mm-20mm AT 1500~2000RPM
22mm-25mm AT 1000~1500RPM
25mm-35mm AT 800~1300RPM

FOUR SLOT WOOD WORKING DRILL

Part No	Diameter
YD-F0801	10mm
YD-F0802	12mm
YD-F0803	14mm
YD-F0804	16mm
YD-F0805	18mm
YD-F0806	20mm
YD-F0807	22mm
YD-F0808	25mm
YD-F0809	28mm
YD-F0810	30mm
YD-F0811	32mm
YD-F0812	35mm

HOLE SAW

INSTRUCTION

Recommended for working on:
Concrete and reinforced concrete with normal to hard aggregates, masonry

User instructions:
Segments for retipping segmented Wetdrill Super diamond core cutters



ATTENTION!
Add water use

Diamond wet core cutters Super 1 1/4" UNC



Concrete	Block/brick
Wall	Stone

CONCRETE AND MASONRY DRILL BITS

Part No	Diameter	Length
YD-F0901	12	450
YD-F0902	14	450
YD-F0903	16	450
YD-F0904	18	450
YD-F0905	20	450
YD-F0906	22	450
YD-F0907	25	450
YD-F0908	27	450
YD-F0909	30	450
YD-F0910	32	450
YD-F0911	36	450
YD-F0912	38	450
YD-F0913	40	450
YD-F0914	44	450
YD-F0915	46	450
YD-F0916	51	450
YD-F0917	56	450
YD-F0918	63	450
YD-F0919	66	450
YD-F0920	71	450
YD-F0921	76	450
YD-F0922	83	450

Part No	Diameter	Length
YD-F0923	89	450
YD-F0924	96	450
YD-F0925	102	450
YD-F0926	108	450
YD-F0927	112	450
YD-F0928	116	450
YD-F0929	120	450
YD-F0930	127	450
YD-F0931	132	450
YD-F0932	140	450
YD-F0933	152	450
YD-F0934	159	450
YD-F0935	168	450
YD-F0936	180	450
YD-F0937	200	450
YD-F0938	220	450
YD-F0939	230	450
YD-F0940	245	450
YD-F0941	254	450
YD-F0942	270	450
YD-F0943	300	450

HOLE SAW

INSTRUCTION

The use of oblique angle of 45degrees when the first drilling location,and then vertical drilling.

1.Glass Drilling Hole
2.Tile Drilling Hole
3.Vitrified Tile Drilling Hole
4.Marble Drilling Hole



Shank shape



Glass | Ceramic

ATTENTION!
Add water use

DIAMOND GLASS DRILL

Part No	Diameter
YD-F1001	3mm
YD-F1002	4mm
YD-F1003	5mm
YD-F1004	6mm
YD-F1005	8mm
YD-F1006	10mm
YD-F1007	12mm
YD-F1008	14mm
YD-F1009	15mm
YD-F1010	16mm
YD-F1011	18mm
YD-F1012	20mm
YD-F1013	22mm
YD-F1014	23mm
YD-F1015	24mm
YD-F1016	25mm
YD-F1017	26mm
YD-F1018	28mm
YD-F1019	30mm
YD-F1020	32mm
YD-F1021	35mm
YD-F1022	38mm
YD-F1023	40mm
YD-F1024	42mm

Part No	Diameter
YD-F1025	45mm
YD-F1026	48mm
YD-F1027	50mm
YD-F1028	53mm
YD-F1029	55mm
YD-F1030	60mm
YD-F1031	65mm
YD-F1032	70mm
YD-F1033	75mm
YD-F1034	80mm
YD-F1035	85mm
YD-F1036	90mm
YD-F1037	95mm
YD-F1038	100mm
YD-F1039	105mm
YD-F1040	110mm
YD-F1041	120mm
YD-F1042	125mm
YD-F1043	130mm
YD-F1044	140mm
YD-F1045	150mm
YD-F1046	160mm
YD-F1047	170mm
YD-F1048	180mm

HOLE SAW

INSTRUCTION


The use of oblique angle of 45degrees when the first drilling location,and then vertical drilling.

1.Glass Drilling Hole
2.Tile Drilling Hole
3.Vitrified Tile Drilling Hole
4.Marble Drilling Hole





Shank shape



Marble | Ceramic

ATTENTION!
Add water use

DIAMOND MARBLE DRILL

Part No	Diameter
YD-F1101	3mm
YD-F1102	4mm
YD-F1103	5mm
YD-F1104	6mm
YD-F1105	8mm
YD-F1106	10mm
YD-F1107	12mm
YD-F1108	14mm
YD-F1109	15mm
YD-F1110	16mm
YD-F1111	18mm
YD-F1112	20mm
YD-F1113	22mm
YD-F1114	23mm
YD-F1115	24mm
YD-F1116	25mm
YD-F1117	26mm
YD-F1118	28mm
YD-F1119	30mm
YD-F1120	32mm
YD-F1121	35mm
YD-F1122	38mm
YD-F1123	40mm
YD-F1124	42mm

Part No	Diameter
YD-F1125	45mm
YD-F1126	48mm
YD-F1127	50mm
YD-F1128	53mm
YD-F1129	55mm
YD-F1130	60mm
YD-F1131	65mm
YD-F1132	70mm
YD-F1133	75mm
YD-F1134	80mm
YD-F1135	85mm
YD-F1136	90mm
YD-F1137	95mm
YD-F1138	100mm
YD-F1139	105mm
YD-F1140	110mm
YD-F1141	120mm
YD-F1142	125mm
YD-F1143	130mm

YENDARE®
PROFESSIONAL TOOLS

HOLE SAW


INSTRUCTION

Uniform arrangement of diamond cutting components can make sure the intact of th hole without gap and breakage . centering drilling bit eliminates the deviation in the
of operation of the tool . diamond stone material ; synthetic diamond , p 6 0 particle . it in drilling the ceramic plate and ceramic tile under the condition of forced water coolling





Shank shape



Marble | Ceramic

ATTENTION!
Add water use

COMPLETE SET OF DIAMOND BIT

Part No	Diameter
YD-F1201	16mm
YD-F1202	18mm
YD-F1203	20mm
YD-F1204	22mm
YD-F1205	25mm
YD-F1206	30mm
YD-F1207	32mm
YD-F1208	35mm
YD-F1209	40mm
YD-F1210	42mm
YD-F1211	45mm
YD-F1212	50mm

Part No	Diameter
YD-F1213	55mm
YD-F1214	60mm
YD-F1215	65mm
YD-F1216	68mm
YD-F1217	70mm
YD-F1218	75mm
YD-F1219	80mm
YD-F1220	90mm
YD-F1221	100mm
YD-F1222	110mm
YD-F1223	120mm







Part No:ZW-F1301

Part No	Set dia(mm)
6PCS	20/30/35/45/50/65
10PCS	16/18/20/25/30/35/40/50/55
13PCS	18/22/25/30/32/35/38/45/50/55/65/70/75

YENDARE®
PROFESSIONAL TOOLS

HOLE SAW

INSTRUCTION

For making holes in marble, granite, ceramic tiles, composite material and all kinds of hardness stones.
* Vaccum brazed diamond cutting rim.
*Be used for portable electric driller and bench drilling machine.
* Long life and high efficiency.







BRAZED DIAMOND CORE DRILL BIT

Marble | Ceramic

Part No	Diameter
YD-F2701	6mm
YD-F2702	8mm
YD-F2703	10mm
YD-F2704	12mm
YD-F2705	14mm
YD-F2706	16mm
YD-F2707	18mm
YD-F2708	20mm
YD-F2709	21mm
YD-F2710	22mm
YD-F2711	23mm
YD-F2712	24mm
YD-F2713	25mm
YD-F2714	26mm
YD-F2715	28mm
YD-F2716	30mm
YD-F2717	32mm
YD-F2718	35mm

Part No	Diameter
YD-F2719	38mm
YD-F2720	40mm
YD-F2721	42mm
YD-F2722	45mm
YD-F2723	48mm
YD-F2724	50mm
YD-F2725	53mm
YD-F2726	55mm
YD-F2727	60mm
YD-F2728	65mm
YD-F2729	70mm
YD-F2730	75mm
YD-F2731	80mm
YD-F2732	85mm
YD-F2733	90mm
YD-F2734	95mm
YD-F2735	100mm

HEX DIAMOND DRILL BIT





Sank shape

Part No	Diameter
YD-F2801	6mm
YD-F2802	8mm
YD-F2803	10mm
YD-F2804	12mm
YD-F2805	14mm
YD-F2806	16mm

DIAMOND DRILL BIT



Part No	Diameter
YD-F2901	6mm
YD-F2902	8mm
YD-F2903	10mm
YD-F2904	12mm
YD-F2905	14mm
YD-F2906	16mm

HOLE SAW

INSTRUCTION

The use of oblique angle of 45degrees when the first drilling location, and then vertical drilling.

MARBLE DRILL

Part No	Diameter
YD-F1401	6mm
YD-F1402	8mm
YD-F1403	10mm
YD-F1404	12mm
YD-F1405	14mm
YD-F1406	16mm
YD-F1407	18mm
YD-F1408	20mm
YD-F1409	22mm
YD-F1410	25mm
YD-F1411	28mm
YD-F1412	30mm
YD-F1413	32mm

Part No	Diameter
YD-F1414	35mm
YD-F1415	40mm
YD-F1416	45mm
YD-F1417	50mm
YD-F1418	55mm
YD-F1419	60mm
YD-F1420	65mm
YD-F1421	70mm
YD-F1422	75mm
YD-F1423	80mm
YD-F1424	85mm
YD-F1425	90mm
YD-F1426	100mm

WOODWORKING SPHERICAL HOLESAW



Part No	Diameter
YD-F1501	53mm 22mm

WOODWORKER ADJUSTABLE CIRCLE CUTTER



Part No	Diameter
YD-F1502	120mm 200mm 300mm

4PCS TUNGSTEN CARBIDE GRIT HOLE SAW SET



Part No	Diameter
YD-F1503	33mm 53mm 67mm 73mm

8PCS T.C.T WOOD HOLE SAW SET



Part No	Diameter
YD-F1504	64mm 76mm 89mm 102mm 127mm

HOLE SAW

INSTRUCTION

1. The blades are made of super hard thickened alloy which can be sharper and more durable;
2. Applicable to ceramics, glass drilling.

⊖ CERAMIC–GLASS DRILL



Part No	Diameter
YD-F1601	3mm
YD-F1602	4mm
YD-F1603	5mm
YD-F1604	6mm
YD-F1605	8mm
YD-F1606	10mm
YD-F1607	12mm
YD-F1608	14mm
YD-F1609	16mm

⊕ CERAMIC–GLASS DRILL



Part No	Diameter
YD-F1610	3mm
YD-F1611	4mm
YD-F1612	5mm
YD-F1613	6mm
YD-F1614	8mm
YD-F1615	10mm
YD-F1616	12mm

⊖ HEX CERAMIC–GLASS DRILL



Part No	Diameter
YD-F1701	3mm
YD-F1702	4mm
YD-F1703	5mm
YD-F1704	6mm
YD-F1705	7mm
YD-F1706	8mm
YD-F1707	10mm
YD-F1708	12mm

⊕ HEX CERAMIC–GLASS DRILL



Part No	Diameter
YD-F1709	3mm
YD-F1710	4mm
YD-F1711	5mm
YD-F1712	6mm
YD-F1713	7mm
YD-F1714	8mm
YD-F1715	10mm
YD-F1716	12mm

⊖ HEX CERAMIC–GLASS DRILL



Part No	Diameter
YD-F1801	3mm
YD-F1802	4mm
YD-F1803	5mm
YD-F1804	6mm
YD-F1805	7mm
YD-F1806	8mm
YD-F1807	10mm
YD-F1808	12mm

⊕ HEX CERAMIC–GLASS DRILL



Part No	Diameter
YD-F1809	3mm
YD-F1810	4mm
YD-F1811	5mm
YD-F1812	6mm
YD-F1813	7mm
YD-F1814	8mm
YD-F1815	10mm
YD-F1816	12mm

HOLE SAW

HEX CERAMIC ALLOY DRILL



Part No	Diameter
YD-F1901	3mm
YD-F1902	4mm
YD-F1903	5mm
YD-F1904	6mm
YD-F1905	7mm
YD-F1906	8mm
YD-F1907	10mm
YD-F1908	12mm

HEX CERAMIC ALLOY DRILL



Part No	Diameter
YD-F1909	3mm
YD-F1910	4mm
YD-F1911	5mm
YD-F1912	6mm
YD-F1913	7mm
YD-F1914	8mm
YD-F1915	10mm
YD-F1916	12mm

MULTI-FUNCTION DRILL



Part No	Diameter
YD-F2001	3mm
YD-F2002	4mm
YD-F2003	5mm
YD-F2004	6mm
YD-F2005	7mm
YD-F2006	8mm
YD-F2007	10mm
YD-F2008	12mm

HEX MULTI-FUNCTION DRILL



Part No	Diameter
YD-F2009	3mm
YD-F2010	4mm
YD-F2011	5mm
YD-F2012	6mm
YD-F2013	7mm
YD-F2014	8mm
YD-F2015	10mm
YD-F2016	12mm

CERAMIC ALLOY DRILL



Part No	Diameter
YD-F2101	3mm
YD-F2102	4mm
YD-F2103	5mm
YD-F2104	6mm
YD-F2105	7mm
YD-F2106	8mm
YD-F2107	10mm
YD-F2108	12mm

5PCS MULTI-FUNCTION DRILL



Part No:ZW-F2109

Diameter
6mm
7mm
8mm
10mm
12mm

HOLE SAW

11PCS PLASTERBOARD HOLE SAW SET



Part No	Diameter
YD-F2201	19mm 22mm 25mm 29mm 32mm 38mm 44mm 54mm 64mm

8PCS PLASTERBOARD HOLE SAW SET



Part No	Diameter
YD-F2202	64mm 76mm 89mm 102mm 127mm

16PCS PLASTERBOARD HOLE SAW SET



Part No	Diameter
YD-F2203	19mm 22mm 25mm 29mm 32mm 38mm 44mm 54mm 64mm 76mm 89mm 102mm 127mm

11PCS PLASTERBOARD HOLE SAW SET



Part No	Diameter
YD-F2204	19mm 22mm 25mm 29mm 32mm 38mm 44mm 54mm 64mm

8PCS PLASTERBOARD HOLE SAW SET



Part No	Diameter
YD-F2205	64mm 76mm 89mm 102mm 127mm

16PCS PLASTERBOARD HOLE SAW SET




Part No	Diameter
YD-F2206	19mm 22mm 25mm 29mm 32mm 38mm 44mm 54mm 64mm 76mm 89mm 102mm 127mm

YENDARE®

PROFESSIONAL TOOLS






DOUBLE END SCREWDRIVER BITS


SCREWDRIVER BITS

⊕ PHILIPS DOUBLE END BITS ⊕




Part No	D#	Diameter	Length
YD-G0101	PH1	6. 35mm	50mm
YD-G0102	PH2	6. 35mm	50mm
YD-G0103	PH3	6. 35mm	50mm
YD-G0104	PH1	6. 35mm	65mm
YD-G0105	PH2	6. 35mm	65mm
YD-G0106	PH3	6. 35mm	65mm
YD-G0107	PH1	6. 35mm	75mm
YD-G0108	PH2	6. 35mm	75mm
YD-G0109	PH3	6. 35mm	75mm
YD-G0110	PH1	6. 35mm	100mm
YD-G0111	PH2	6. 35mm	100mm
YD-G0112	PH3	6. 35mm	100mm
YD-G0113	PH1	6. 35mm	150mm
YD-G0114	PH2	6. 35mm	150mm
YD-G0115	PH3	6. 35mm	150mm
YD-G0116	PH1	6. 35mm	200mm
YD-G0117	PH2	6. 35mm	200mm
YD-G0118	PH3	6. 35mm	200mm

⊕PHILIPS SLOTTED DOUBLE END BITS ⊖



Part No	D#	Diameter	Length
YD-G0201	PH2.SL	6. 35mm	50mm
YD-G0202	PH2.SL	6. 35mm	65mm

⊖ SLOTTED DOUBLE END BITS ⊖




Part No	D#	Diameter	Length
YD-G0301	SL6	6. 35mm	50mm
YD-G0302	SL6	6. 35mm	65mm

YENDARE®
PROFESSIONAL TOOLS


SCREWDRIVER BITS

PHILIPS POWER BITS




Part No	D#	Diameter	Length
YD-G0401	PH1	5mm	25mm
YD-G0402	PH2	5mm	25mm
YD-G0403	PH3	5mm	25mm
YD-G0404	PH1	6. 35mm	50mm
YD-G0405	PH2	6. 35mm	50mm
YD-G0406	PH3	6. 35mm	50mm
YD-G0407	PH1	6. 35mm	70mm
YD-G0408	PH2	6. 35mm	70mm
YD-G0409	PH3	6. 35mm	70mm
YD-G0410	PH1	6. 35mm	100mm
YD-G0411	PH2	6. 35mm	100mm
YD-G0412	PH3	6. 35mm	100mm

SLOTTED BITS



Part No	D#	Diameter	Length
YD-G0501	SL4	6. 35mm	25mm
YD-G0502	SL5	6. 35mm	25mm
YD-G0503	SL6	6. 35mm	25mm
YD-G0504	SL	6. 35mm	50mm
YD-G0505	SL	6. 35mm	70mm
YD-G0506	SL	6. 35mm	100mm
YD-G0507	SL	6. 35mm	150mm

POZIDRIV BITS




Part No	D#	Diameter	Length
YD-G0601	PZ1	6. 35mm	25mm
YD-G0602	PZ2	6. 35mm	25mm
YD-G0603	PZ3	6. 35mm	25mm
YD-G0604	PZ1	6. 35mm	50mm
YD-G0605	PZ2	6. 35mm	50mm
YD-G0606	PZ3	6. 35mm	50mm
YD-G0607	PZ1	6. 35mm	70mm
YD-G0608	PZ2	6. 35mm	70mm
YD-G0609	PZ3	6. 35mm	70mm
YD-G0610	PZ1	6. 35mm	100mm
YD-G0611	PZ2	6. 35mm	100mm
YD-G0612	PZ3	6. 35mm	100mm

YENDARE®
PROFESSIONAL TOOLS


SCREWDRIVER BITS

TORX BITS



Part No	D#	Diameter	Length
YD-G0701	T20	6mm	50mm
YD-G0702	T25	6mm	50mm
YD-G0703	T27	6mm	50mm
YD-G0704	T30	6mm	50mm
YD-G0705	T40	6mm	50mm
YD-G0706	T20	6mm	70mm
YD-G0707	T25	6mm	70mm
YD-G0708	T27	6mm	70mm
YD-G0709	T30	6mm	70mm
YD-G0710	T40	6mm	70mm

HEXAGONAL BITS



Part No	D#	Diameter	Length
YD-G0801	H3	3mm	50mm
YD-G0802	H4	4mm	50mm
YD-G0803	H5	5mm	50mm
YD-G0804	H6	6mm	50mm
YD-G0805	H3	3mm	100mm
YD-G0806	H4	4mm	100mm
YD-G0807	H5	5mm	100mm
YD-G0808	H6	6mm	100mm


PHILIPS BITS



Part No	D#	Diameter	Length
YD-G0901	PH1	5mm	25mm
YD-G0902	PH2	5mm	25mm
YD-G0903	PH3	5mm	25mm
YD-G0904	PH1	5mm	50mm
YD-G0905	PH2	5mm	50mm
YD-G0906	PH3	5mm	50mm
YD-G0907	PH1	5mm	70mm
YD-G0908	PH2	5mm	70mm
YD-G0909	PH3	5mm	70mm
YD-G0910	PH1	5mm	90mm
YD-G0911	PH2	5mm	90mm
YD-G0912	PH3	5mm	90mm
YD-G0913	PH1	5mm	127mm
YD-G0914	PH2	5mm	127mm
YD-G0915	PH3	5mm	127mm
YD-G0916	PH1	5mm	150mm
YD-G0917	PH2	5mm	150mm
YD-G0918	PH3	5mm	150mm


SCREWDRIVER BITS

⊕ PHILIPS DOUBLE END BITS ⊕




Part No	D#	Diameter	Length
YD-G1001	PH1	6. 35mm	50mm
YD-G1002	PH2	6. 35mm	50mm
YD-G1003	PH3	6. 35mm	50mm
YD-G1004	PH1	6. 35mm	65mm
YD-G1005	PH2	6. 35mm	65mm
YD-G1006	PH3	6. 35mm	65mm
YD-G1007	PH1	6. 35mm	75mm
YD-G1008	PH2	6. 35mm	75mm
YD-G1009	PH3	6. 35mm	75mm
YD-G1010	PH1	6. 35mm	100mm
YD-G1011	PH2	6. 35mm	100mm
YD-G1012	PH3	6. 35mm	100mm
YD-G1013	PH1	6. 35mm	150mm
YD-G1014	PH2	6. 35mm	150mm
YD-G1015	PH3	6. 35mm	150mm
YD-G1016	PH1	6. 35mm	200mm
YD-G1017	PH2	6. 35mm	200mm
YD-G1018	PH3	6. 35mm	200mm

⊕PHILIPS SLOTTED DOUBLE END BITS ⊖



Part No	D#	Diameter	Length
YD-G1101	PH2.SL	6. 35mm	50mm
YD-G1102	PH2.SL	6. 35mm	65mm


⊕ PHILIPS POWER BITS



Part No	D#	Diameter	Length
YD-G1201	PH1	5mm	25mm
YD-G1202	PH2	5mm	25mm
YD-G1203	PH3	5mm	25mm
YD-G1204	PH1	6. 35mm	50mm
YD-G1205	PH2	6. 35mm	50mm
YD-G1206	PH3	6. 35mm	50mm
YD-G1207	PH1	6. 35mm	70mm
YD-G1208	PH2	6. 35mm	70mm
YD-G1209	PH3	6. 35mm	70mm
YD-G1210	PH1	6. 35mm	100mm
YD-G1211	PH2	6. 35mm	100mm
YD-G1212	PH3	6. 35mm	100mm

SCREWDRIVER BITS

PHILIPS DOUBLE END BITS



Part No	D#	Diameter	Length
YD-G1301	PH1	6. 35mm	50mm
YD-G1302	PH2	6. 35mm	50mm
YD-G1303	PH3	6. 35mm	50mm
YD-G1304	PH1	6. 35mm	65mm
YD-G1305	PH2	6. 35mm	65mm
YD-G1306	PH3	6. 35mm	65mm
YD-G1307	PH1	6. 35mm	75mm
YD-G1308	PH2	6. 35mm	75mm
YD-G1309	PH3	6. 35mm	75mm
YD-G1310	PH1	6. 35mm	100mm
YD-G1311	PH2	6. 35mm	100mm
YD-G1312	PH3	6. 35mm	100mm

DOUBLE PHILIPS HIGH TORQUEBITS



Part No	D#	Diameter	Length
YD-G3401	PH2	6.35mm	65mm
YD-G3402	PH2	6.35mm	110mm

PHILIPS POWER BITS



Part No	D#	Diameter	Length
YD-G3501	PH2	6.35mm	50mm
YD-G3502	PH2	6.35mm	65mm
YD-G3503	PH2	6.35mm	75mm
YD-G3504	PH2	6.35mm	100mm
YD-G3505	PH2	6.35mm	150mm

SCREWDRIVER BITS

⊕ HIGH PRECISION BITS ⊕

•Extra strength magnet



Part No	D#	Diameter	Length
YD-G1603	PH2	6. 35mm	65mm
YD-G1604	PZ2	6. 35mm	65mm

⊕ HIGH PRECISION BITS

•Extra strength magnet



Part No	D#	Diameter	Length
YD-G1701	PH2	6. 35mm	65mm
YD-G1702	PZ2	6. 35mm	65mm

⊕ HIGH PRECISION BITS ⊕

•Extra strength magnet



Part No	D#	Diameter	Length
YD-G1801	PH2	6. 35mm	65mm
YD-G1802	PZ2	6. 35mm	65mm

⊕ HIGH PRECISION BITS ⊕

•Extra strength magnet



Part No	D#	Diameter	Length
YD-G1901	PH2	6. 35mm	65mm
YD-G1902	PZ2	6. 35mm	65mm

⊕ PHILIPS POWER BITS



Part No	D#	Diameter	Length
YD-G3601	PH2	6.35mm	65mm
YD-G3602	PH2	6.35mm	110mm

YENDARE®
PROFESSIONAL TOOLS


SCREWDRIVER BITS

PHILIPS POWER BITS




Part No	D#	Diameter	Length
YD-G2301	PH1	5mm	25mm
YD-G2302	PH2	5mm	25mm
YD-G2303	PH3	5mm	25mm
YD-G2304	PH1	5mm	50mm
YD-G2305	PH2	5mm	50mm
YD-G2306	PH3	5mm	50mm
YD-G2307	PH1	5mm	70mm
YD-G2308	PH2	5mm	70mm
YD-G2309	PH3	5mm	70mm
YD-G2310	PH1	5mm	90mm
YD-G2311	PH2	5mm	90mm
YD-G2312	PH3	5mm	90mm
YD-G2313	PH1	5mm	127mm
YD-G2314	PH2	5mm	127mm
YD-G2315	PH3	5mm	127mm
YD-G2316	PH1	5mm	150mm
YD-G2317	PH2	5mm	150mm
YD-G2318	PH3	5mm	150mm

POZIDRIV BITS



Part No	D#	Diameter	Length
YD-G2401	PZ1	6. 35mm	25mm
YD-G2402	PZ2	6. 35mm	25mm
YD-G2403	PZ3	6. 35mm	25mm
YD-G2404	PZ1	6. 35mm	50mm
YD-G2405	PZ2	6. 35mm	50mm
YD-G2406	PZ3	6. 35mm	50mm
YD-G2407	PZ1	6. 35mm	70mm
YD-G2408	PZ2	6. 35mm	70mm
YD-G2409	PZ3	6. 35mm	70mm

TORX BITS




Part No	D#	Diameter	Length
YD-G2501	T10	6mm	50mm
YD-G2502	T15	6mm	50mm
YD-G2503	T20	6mm	50mm
YD-G2504	T25	6mm	50mm
YD-G2505	T27	6mm	50mm
YD-G2506	T30	6mm	50mm
YD-G2507	T40	6mm	50mm
YD-G2508	T10	6mm	70mm
YD-G2509	T15	6mm	70mm
YD-G2510	T20	6mm	70mm
YD-G2511	T25	6mm	70mm
YD-G2512	T27	6mm	70mm
YD-G2513	T30	6mm	70mm
YD-G2514	T40	6mm	70mm

YENDARE®
PROFESSIONAL TOOLS

SCREWDRIVER BITS

HEXAGONAL BITS



Part No	D#	Diameter	Length
YD-G2601	H3	3mm	50mm
YD-G2602	H4	4mm	50mm
YD-G2603	H5	5mm	50mm
YD-G2604	H6	6mm	50mm
YD-G2605	H3	3mm	100mm
YD-G2606	H4	4mm	100mm
YD-G2607	H5	5mm	100mm
YD-G2608	H6	6mm	100mm

DOUBLE PHILIPS HIGH TORQUEBITS



The Bits Made From Japan Speciality Steels , With Japan Technology Produced , And Speciciality Heat Treatment, Increased The Hard And Wear - Resistant And Extend The Product Life Widely Used In Electronics , Furniture , Automobile , Vessel , Aviation And So On.

Part No	D#	Diameter	Length
YD-G2701	PH2	6. 35mm	65mm
YD-G2702	PH2	6. 35mm	100mm

DOUBLE PHILIPS HIGH TORQUEBITS

•Resilience
•Increase The Product Life
•Not Easy To Damage




The Bits Made From Japan Speciality Steels , With Japan Technology Produced , And Speciciality Heat Treatment, Increased The Hard And Wear - Resistant And Extend The Product Life Widely Used In Electronics , Furniture , Automobile , Vessel , Aviation And So On.

Part No	D#	Diameter	Length
YD-G2801	PH2	6. 35mm	65mm
YD-G2802	PH2	6. 35mm	100mm

PHILIPS DOUBLE END BITS

•Resilience
•Increase The Product Life
•Not Easy To Damage



Part No	D#	Diameter	Length
YD-G2901	PH2	6. 35mm	65mm
YD-G2902	PH2	6. 35mm	100mm

SCREWDRIVER BITS

DOUBLE PHILIPS HIGH TORQUEBITS



Part No	D#	Diameter	Length
YD-G3701	PH2	6.35mm	65mm
YD-G3702	PH2	6.35mm	110mm

PHILIPS POWER BITS



Part No	D#	Diameter	Length
YD-G3801	PH2	6.35mm	50mm
YD-G3802	PH2	6.35mm	65mm
YD-G3803	PH2	6.35mm	75mm
YD-G3804	PH2	6.35mm	100mm
YD-G3805	PH2	6.35mm	150mm

POZIDRIV BITS



Part No	D#	Diameter	Length
YD-G3901	PZ	6.35mm	50mm
YD-G3902	PZ	6.35mm	65mm
YD-G3903	PZ	6.35mm	75mm
YD-G3904	PZ	6.35mm	100mm
YD-G3905	PZ	6.35mm	150mm

TORX BITS



Part No	D#	Diameter	Length
YD-G4001	T10	6mm	50mm
YD-G4002	T15	6mm	50mm
YD-G4003	T20	6mm	50mm
YD-G4004	T25	6mm	50mm
YD-G4005	T27	6mm	50mm
YD-G4006	T30	6mm	50mm
YD-G4007	T40	6mm	50mm
YD-G4008	T10	6mm	100mm
YD-G4009	T15	6mm	100mm
YD-G4010	T20	6mm	100mm
YD-G4011	T25	6mm	100mm
YD-G4012	T27	6mm	100mm
YD-G4013	T30	6mm	100mm
YD-G4014	T40	6mm	100mm

SCREWDRIVER BITS

MAGNETIC NUT SETTER



Part No	Inch	Diameter	Length
YD-G2001	1/4″	6mm	48mm
YD-G2002	9/32″	7mm	48mm
YD-G2003	5/16″	8mm	48mm
YD-G2004	1/32″	9mm	48mm
YD-G2005	3/8″	10mm	48mm
YD-G2006	/	11mm	48mm
YD-G2007	7/16″	12mm	48mm
YD-G2008	1/4″	6mm	65mm
YD-G2009	9/32″	7mm	65mm
YD-G2010	5/16″	8mm	65mm
YD-G2011	1/32″	9mm	65mm
YD-G2012	3/8″	10mm	65mm
YD-G2013	/	11mm	65mm
YD-G2014	7/16″	12mm	65mm
YD-G2015	1/2″	13mm	65mm
YD-G2016	/	14mm	65mm
YD-G2017	11/16″	17mm	65mm

STAINLESS BIT HOLDER



Part No	D#	Length
YD-G2101	6.35mm	60mm

STAINLESS BIT HOLDER



Part No	D#	Length
YD-G2102	6.35mm	60mm

DRYWALL DIMPLE PHILLPS BITS



Part No	D#	Diameter	Length
YD-G2201	PH2	6.35mm	25mm
YD-G2202	PH2	6.35mm	50mm

SCREWDRIVER BITS

7PCS PH2 SCREWDRIVER BIT SET



Part No	Diameter
YDT009	PH1 Ø3*50mm PH2 Ø4*50mm PH2 Ø5*50mm PH2 Ø6*50mm PH2 Ø4*100mm PH2 Ø5*100mm PH2 Ø6*100mm

7PCS PH2 SCREWDRIVER BIT SET



Part No	Diameter
YDT010	PH2*25mm PH2*50mm PH2*65mm PH2*70mm PH2*90mm PH2*150mm Bit holder 70mm

7PCS HEX SCREWDRIVER BIT SET



Part No	Diameter
YDT011	H1.5*100mm H2*100mm H2.5*100mm H3*100mm H4*100mm H5*100mm H6*100mm

7PCS HEX SCREWDRIVER BIT SET



Part No	Diameter
YDT012	H1.5*50mm H2*50mm H2.5*50mm H3*50mm H4*50mm H5*50mm H6*50mm

7PCS Torx SCREWDRIVER BIT SET



Part No	Diameter
YDT013	T10*50mm T15*50mm T20*50mm T25*50mm T27*50mm T30*50mm T40*50mm

7PCS Torx SCREWDRIVER BIT SET



Part No	Diameter
YDT014	T10*100mm T15*100mm T20*100mm T25*100mm T27*100mm T30*100mm T40*100mm

SCREWDRIVER



CR-V
PHILLIPS

Part No	Inch	Size
YD-G3001	3"	3x75mm
YD-G3002	4"	5x100mm
YD-G3003	5"	5x125mm
YD-G3004	6"	5x150mm
YD-G3005	4"	6x100mm
YD-G3006	5"	6x125mm
YD-G3007	6"	6x150mm
YD-G3008	8"	6x200mm
YD-G3009	10"	6x250mm
YD-G3010	12"	6x300mm

SCREWDRIVER



CR-V
PHILLIPS

Part No	Inch	Size
YD-G3101	3"	3x75mm
YD-G3102	4"	5x100mm
YD-G3103	5"	5x125mm
YD-G3104	6"	5x150mm
YD-G3105	4"	6x100mm
YD-G3106	5"	6x125mm
YD-G3107	6"	6x150mm
YD-G3108	8"	6x200mm
YD-G3109	10"	6x250mm
YD-G3110	12"	6x300mm

DUAL PURPOSE SCREWDRIVER



CR-V
PHILLIPS

Part No	Size
YD-G3201	6.35x180mm

TELESCOPIC SCREWDRIVER



CR-V
PHILLIPS

Part No	Size
YD-G3301	6.35x180mm

YENDARE®
PROFESSIONAL TOOLS

JIG SAW BLADE



T111C



T244D



T118A



T111D



T144D



T318A



T127D



T101BR



T101AO



T119BO



T101D



ON.1



T119A



T101B



ON.2



T119B



T344D



ON.3



T301DL



T301CD



ON.4



CURVE OF BLADE PART NO

T144D	T244D	T111C	T111D	T144DP	T234X	T344D	T119B	T119BO
T10046	T10048	T127D	T123X	T318A	T318B	T345XF	T144DP	MA111C
T301CD	T301DL	T101D	T101B	T101BR	T101AO	T118A	T118B	T118G
NO.1	NO.2	NO.3	NO.4	B-10	NO.10	BD118A	BD127D	BD244D

YENDARE®
PROFESSIONAL TOOLS


RECIPROCATING SAW BLADE



S644D



S1531L



S1411D



S922EF



S1122BF



S1222VF

Part No	Size	Size	Material
S644D	150x19x1.25mm	4.0mm.6T	HCS
S1531L	240x19x1.5mm	5.0mm.5T	HCS
S1411D	300x19x1.25mm	4.3mm.6T	HCS
S922EF	150x19x0.9mm	1.4mm.18T	BIM
S1122BF	225x19x0.9mm	1.8mm.14T	BIM
S1222VF	300x19x0.9mm	1.8~2.6mm.14~10T	BIM

10PCS RECIPROCATING SAW BLADE




Part No	Size/PCS
S611D/HCS	150mmx6Tx3PCS
S922H/HCS	150mmx10Tx3PCS
S922EF/BIM	150mmx18Tx2PCS
S1025/HCS	200mmx6Tx2PCS

YENDARE®
PROFESSIONAL TOOLS


SWINGING SAW BLADE

HIGH CARBON STEEL STRAIGHT SAW BLADE




Material:high-carbon Steel
Deep:28mm
Application:wood, Gypsum Board, Soft Clinker
Features: Cutting Soft Metals

HIGH CARBON STEEL DIE TOOTH STRAIGHT SAW BLADE




Material:high-carbon Steel
Deep:28/38mm
Application:wood, Gypsum Board, Soft Clinker
Features: Cutting Soft Metals

STAINLESS STEEL STRAIGHT SAW BLADE




Material:high-carbon Steel
Deep:28-38mm
Application:wood, Gypsum Board, Soft Clinker

BIM BIMETAL SAW BLADE




Material:Bimetallic
Deep:28-38mm
Application:Wood, steel pipe, galvanized water pipe, iron fixed, thin iron sheet, aluminum, non-ferrous metal, etc

CURVED BLADE STRAIGHT BLADE




Material:stainless steel
Deep:38mm
Application:Handling surface dirt

HIGH CARBON STEEL SEMI CIRCULAR SAW BLADE




Material:high-carbon Steel
Deep:18-38mm
Application:wood, Gypsum Board, Soft Clinker.
Features: Cutting Soft Metals

ALLOY HALF ROUND SAW BLADE




Material:alloy
Deep:10mm
Application:Ceramic tile joints, cement notches

HIGH CARBON STEEL TRIANGULAR SAND



Material:high-carbon Steel
Size:60/80/120/180/240mm
Application:wood,metal

ALLOY TRIANGULAR SAND




Material:alloy
Size:60/80/120/180/240mm
Application:Cement or rough surface

AIR-NAILER

18GA.1-1/4" BRAD NAILER






YD-F30

18GA.1-1/4" BRAD NAILER






YD-F32

22GA.FINE WIRE STAPLER






YD-1416

18GA.2" BRAD NAILER






YD-F50

18GA.2" BRAD NAILER






YD-F50C

20GA.MEDIUM CROWN STAPLER






YD-1022J

21GA.FINE WIRE STAPLER





YD-8016

PACKING


YENDARE
DIAMOND CUTTING DISC
4.5"


YENDARE
4.5"


YENDARE
5"


YENDARE
7"


YENDARE
DIAMOND CUTTING DISC


YENDARE
4.5"


YENDARE
DIAMOND CUTTING DISC
4.5"


YENDARE
DIAMOND CUTTING DISC
UNIVERSAL
4.5"


YENDARE
4.5"


YENDARE
DIAMOND CUTTING DISC


YENDARE
BRAZED DIAMOND CORE DRILL BIT
SIZE: 30 mm
30mm


YENDARE
T.C.T COUNTERSINK BIT
HIGH Quality
SIZE:4.0X10 mm


YENDARE
MULTIFUNCTION DRILL BITS
6.0 mm


YENDARE
T.C.T COUNTERSINK BIT
HIGH Quality
SIZE: 4.0X10 mm


YENDARE
SIZE: 6×110mm


YENDARE
6PC POWER WOOD BIT SET
10
12
16
18
20
25


YENDARE
3PC STEP DRILLBIT
HSS


YENDARE
HSS FULLY GROUND DRILL
DIN 338
SIZE: 5.0 mm


YENDARE
DIN 338
SIZE: 6.0 mm

YENDARE®
PROFESSIONAL TOOLS

PACKING











































